


CRANE
Composites

CLEAN + DURABLE
surface systems



GLASBORD. Wall Panels with SURFASEAL® Finish
EMBOSSSED + SMOOTH TEXTURES

GLASBORD Wall Panels with SURFASEAL® Finish

It's a dirty world out there. Protect your facility with Crane Composites resilient wall coverings. Our GLASBORD with SURFASEAL® creates surfaces that deliver unsurpassed hygiene and durability for commercial environments such as restaurants and food processing plants.

Made of fiberglass reinforced plastic (FRP), GLASBORD with SURFASEAL is extremely moisture-resistant and non-porous. The SURFASEAL film finish, found only on GLASBORD, provides a barrier that's highly resistant to impact and scratching. Because of its unique process, the SURFASEAL finish will not trap soil or bacteria on the panel. The surface is up to 10 times easier to clean and up to six times more stain resistant than other sanitary wall systems. The sturdy panels, which come in both pebbled and smooth textures, hold up under frequent maintenance cycles, and proven performance at an affordable price point with a 10-year limited warranty.




MOLD AND MILDEW FREE



MEETS USDA/FSIS REQUIREMENTS



EASY TO INSTALL



EASY TO CLEAN




DURABLE + IMPACT RESISTANT



BLACK (1201) | EMBOSSED



WHITE (85) | SMOOTH



SOFT BEIGE (70) | EMBOSSED

DISCOVER THE DIFFERENCE

FIRE-X GLASBORD (FXE and FSFM) is the only fiberglass reinforced interior wall and ceiling panel that is approved under FM Approvals Standard FM 4880 (Plastic Interior Finish Materials). Product installations should be in accordance with FM Approvals Standard FM 4880. This information is available at www.approvalguide.com and www.FRP.com/FMAproved.pdf.


GLASBORD panels are the first FRP panels that are HACCP certified. Hazard Analysis Critical Control Point (HACCP) certifies that GLASBORD panels are suitable for use in food and beverage facilities that operate in accordance with a HACCP based Food Safety Program. Orientation of embossed panels must be installed/ run vertically for any areas that require a sanitary finish under HACCP certification.

GLASBOND color + finish options

PEBBLED EMBOSSED TEXTURE



SMOOTH TEXTURE



Product Specs

AVAILABLE SIZES:

4' x 8' | 4' x 10' (other sizes available upon request)

THICKNESSES:

0.09" (embossed) | 0.075" (smooth)

FIRE RATINGS:**

Class A or Class C per ASTM E-84
CAN/ULC-S102 | FM Approved Available

** see technical data sheets for fire rating information by color options

* AVAILABLE IN CLASS C PER ASTM E-84 AND CAN/ULC-S102 ONLY *
MINIMUM ORDER QUANTITIES AND OTHER TERMS MAY APPLY.

Now, a new way to apply FRP with
our self-adhered frp wall panels!

GLASBOND
glasbond.com



APPLICATIONS:

- Commercial Kitchens
- Food Processing Plants
- Restrooms
- Convenience Stores
- Locker Rooms
- Cleanrooms
- Cultivation Facilities
- Cold Storage

GREENGUARD CERTIFIED

All Crane Composites wall and ceiling coverings have earned GREENGUARD Certification for low chemical emissions, issued by UL Environment. This certification reflects our dedication to improving the quality of our products, while using low-emitting materials in their construction.


Thanks to their environmental benefits, the use of Crane Composites products may also contribute to earning LEED® certification.



DUE TO LIMITATIONS OF THE PRINTING PROCESS, PATTERNS AND COLORS MAY VARY. THEY ARE A REPRESENTATION OF THE PRODUCT. PLEASE OBTAIN A SAMPLE BEFORE MAKING A FINAL SELECTION AT FRPSAMPLES.COM

Seam Treatment Accessories

Crane Composites offers an array of seam treatment options to complete your wall panel installations.



PVC Moldings

Standard moldings are contractor grade moldings that are perfect for use with FRP panels. Crane Composites division bars feature patterned expansion control guides to assist with proper FRP installation. Available in 10' lengths in GLASBORD and KEMPLY standard colors.



ColorSil Color-Matched Caulk

By Color Rite Inc., use for professional looking panel installations without the use of moldings. Crane has teamed up with Color Rite to provide materials that compliment Crane wall panels in over 40 colors. Use with Color Rite's Pre-Tooling Mist to install with ease.



Polyurethane Seam Sealant

Seam Sealant is an equal-mix, two-component bright white urethane sealant system used to bond and seal a variety of plastics.



Stainless Trims

Stainless steel trim pieces are the answer to having a sanitary, durable and clean transition while providing increased impact resistance and longevity to develop a more aesthetically pleasing finish.



Sani-Base™

Use Sani-Base stainless accessories for innovative moisture mitigation solutions for seamless wall to floor transitions. Our Sani-Base accessories are available in five different profiles to fit your application needs.

A global leading provider of resilient wall and ceiling coverings. Kemlite® was established in 1954 and the company changed names to Crane Composites in 2007. Crane Composites is headquartered in Channahon, IL and all our products are manufactured in the United States. We work with hundreds of distributors, ensuring our products are easily accessible and readily available to our customers.



glasbond.com | 1.800.435.0080 | glasbond@cranecomposites.com

THE FOLLOWING ARE TRADEMARKS OF CRANE COMPOSITES, INC. OR A RELATED COMPANY: GLASBOND, GLASBORD, KEMLITE, KEMPLY, SURFASEAL, SANIGRID, SILHOUETTE TRIMS AND VARIETEX 6312 | REV 24 | 08.24 (10304)