

The following FRP product families contribute to the LEED sections below:
 Glasbord®, Varietex®, DESIGNS, & Sequentia®

Section:	Description:	Contribution:
MR Credit 4.1	Recycled Content: 10% (post-consumer + ½ pre-consumer) Use Materials with recycled content such that the sum of post-consumer recycle content plus one-half of the pre-consumer content constitutes at least 10% (based on cost) of the total value of the materials in the project.	0% Pre-consumer 0% Post-Industrial
MR Credit 4.2	Recycled Content: 20% (post-consumer + ½ pre-consumer) Use Materials with recycled content such that the sum of post-consumer recycle content plus one-half of the pre-consumer content constitutes an additional 10% beyond MR Credit 4.1 (total of 20%, based on cost) of the total value of the materials in the project.	0% Pre-consumer 0% Post-Industrial
MR Credit 5.1	Regional Materials: 10% Extracted, Processed & Manufactured Regionally. Use building materials or products that have been extracted, harvested or recovered, as well as manufactured, within 500 miles of the project site.	Manufactured in Channahon, IL & Florence, KY Raw material components are virgin, sourced across the country
MR Credit 5.2	Regional Materials: 20% Extracted, Processed & Manufactured Regionally. Use building materials or products that have been extracted, harvested or recovered, as well as manufactured, within 500 miles of the project site.	Manufactured in Channahon, IL & Florence, KY Raw material components are virgin, sourced across the country
MR Credit 6	Rapidly Renewable Materials: Use rapidly renewable building materials and products (made from plants that are typically harvested within a ten-year cycle or shorter).	Does not apply
MR Credit 7	Certified Wood: Use a minimum of 50% of wood-based materials and products, which are certified in accordance with the Forest Stewardship Council's (FSC) principles and criteria for wood building components.	Does not apply
EQ Credit 4.4	Low-Emitting Materials: Composite Wood & Agrifiber Products. Composite wood and agrifiber products used on the interior of the building (defined as inside of the weather-roofing system) shall contain no added urea-formaldehyde resins.	Products do not contain urea-formaldehyde resins 
EQ Credit 10	Mold Prevention: Project Teams must achieve the following credits: EQ Credit 3.1: Construction IAQ Management Plan: During Construction, EQ Credit 7.1: Thermal Comfort: Design, EQ Credit 7.2: Thermal Comfort. Verification and provide HVAC systems and controls designed to limit space relative humidity to 60% of less during all load conditions, both occupied and unoccupied.	ASTM D3273 & ASTM D3274 Crane FRP does not support mold or mildew

